

Közlemények listája (*levelező szerző)

1.Mándity I*, Paragi G, Bogár F, Csizmadia IG

A conformational analysis of histamine, and its protonated or deprotonated forms. An ab initio study

J MOL STRUC-THEOCHEM 666-667: 143-152 (2003)

IF: 1.027

2.Hetényi A, Mándity I, Martinek T, Tóth GK, Fülöp F

TRUE FOLDING OF CONFORMATIONALLY CONSTRAINED beta-PEPTIDES: CHAIN LENGTH-DEPENDENT SECONDARY STRUCTURE

J PEPT SCI 10: 273 (2004)

3.Hetényi A, Mándity I M, Martinek T A, Tóth G K, Fülöp F

Chain-length-dependent helical motifs and self-association of beta-peptides with constrained side chains

J AM CHEM SOC 127: (2)547-553 (2005)

IF: 7.419

4.Martinek T A, Hetényi A, Fülöp L, Mándity I M, Tóth G K, Dékány I, Fülöp F

Secondary structure dependent self-assembly of beta-peptides into nanosized fibrils and membranes

ANGEW CHEM INT EDIT 45: (15)2396-2400 (2006)

IF: 10.232

5.Martinek TA, Mándity IM, Fülöp L, Tóth GK, Vass E, Hollósi M, Forró E, Fülöp F

Effects of the alternating backbone configuration on the secondary structure and self-assembly of beta-peptides

J AM CHEM SOC 128: (41)13539-13544 (2006)

IF: 7.696

6.Martinek TA, Mándity IM, Hetényi A, Fülöp L, Tóth GK, Fülöp F

The beta-peptide domain: From controlled secondary structures to nanostructured assemblies

J PEPT SCI 12: (S1)93 (2006)

7.Csomós P, Fodor L, Mándity I, Bernáth G

An efficient route for the synthesis of 2-arylthiazino[5,6-b]indole derivatives

TETRAHEDRON 63: 4983-4989 (2007)

IF: 2.869

8.Mándity I, Wéber E, Martinek TA, Tóth GK, Vass E, Fülöp F

Building beta-peptide foldamers via stereochemical LEGO approach

J PEPT SCI 14: (8)86 (2008)

9.Hetényi A, Szakonyi Z, Mándity IM, Szolnoki E, Tóth GK, Martinek TA, Fülöp F

Sculpting the beta-peptide foldamer H12 helix via a designed side-chain shape

CHEM COMMUN : (2)177-179 (2009)

IF: 5.504

10.Mándity IM, Martinek TA, Ferenc D, Ferenc F
A simple, efficient, and selective deuteration via a flow chemistry approach
TETRAHEDRON LETT 50: (30)4372-4374 (2009)
IF: 2.660

11.Mándity IM, Wéber E, Martinek TA, Olajos G, Tóth GK, Vass E, Fülöp F
Design of Peptidic Foldamer Helices: A Stereochemical Patterning Approach
ANGEW CHEM INT EDIT 48: (12)2171-2175 (2009)
IF: 11.829

12.Kazi B, Kiss L, Forró E, Mándity I, Fülöp F
Synthesis of conformationally constrained, orthogonally protected 3-azabicyclo[3.2.1]octane beta-amino esters
ARKIVOC : 31-39 (2010)
IF: 1.096

13.Mándity IM, Fülöp L, Vass E, Tóth GK, Martinek TA, Fülöp F
Building beta-Peptide H10/12 Foldamer Helices with Six-Membered Cyclic Side-Chains:
Fine-Tuning of Folding and Self-Assembly
ORG LETT 12: (23)5584-5587 (2010)
IF: 5.250

14.Vass E, Strijowski U, Wollschlager K, Mándity IM, Szilvayi G, Jewginski M, Gaus K,
Royo S, Majer Z, Sewald N, Hollósi M
VCD studies on cyclic peptides assembled from L-alpha-amino acids and a trans-2-
aminocyclopentane- or trans-2-aminocyclohexane carboxylic acid
J PEPT SCI 16: (11)613-620 (2010)
IF: 1.954

15.Ekholm FS, Mándity IM, Fülöp F, Leino R
Rapid, simple, and efficient deprotection of benzyl/benzylidene protected carbohydrates by
utilization of flow chemistry
TETRAHEDRON LETT 52: (16)1839-1841 (2011)
IF: 2.683

16.Ötvös SB, Mándity IM, Fülöp F
Highly selective deuteration of pharmaceutically relevant nitrogen-containing heterocycles: a
flow chemistry approach
MOL DIVERS 15: (3/SI)605-611 (2011)
IF: 3.153

17.Szabados-Nacsá A, Sipos P, Martinek T, Mándity I, Blazsó G, Balogh A, Szabo-Révész P,
Aigner Z
Physico-chemical characterization and in vitro/in vivo evaluation of loratadine:dimethyl-beta-
cyclodextrin inclusion complexes
J PHARMACEUT BIOMED ANAL 55: (2)294-300 (2011)
IF: 2.967

- 18.Berlicki Ł, Pilsł L, Wéber E, Mándity I M, Cabrele C, Martinek T A, Fülöp F, Reiser O
Unique α,β - and α,α,β -peptide foldamers based on cis- β -aminocyclopentanecarboxylic acid
ANGEW CHEM INT EDIT 51: (9)2208-2212 (2012)
IF: 13.734
- 19.Fülöp L, Mándity IM, Juhász G, Szegedi V, Hetényi A, Wéber E, Bozsó Z, Simon D,
Benkő M, Király Z, Martinek TA
A Foldamer-Dendrimer Conjugate Neutralizes Synaptotoxic β -Amyloid Oligomers
PLOS ONE 7: (7)e39485 (2012)
IF: 3.730
- 20.Ötvös SB, Mándity IM, Fülöp F
Asymmetric aldol reaction in a continuous-flow reactor catalyzed by a highly reusable
heterogeneous peptide
J CATAL 295: 179-185 (2012)
IF: 5.787
- 21.Ötvös SB, Mándity IM, Fülöp F
Highly Efficient 1,4-Addition of Aldehydes to Nitroolefins: Organocatalysis in Continuous
Flow by Solid-Supported Peptidic Catalysts
CHEMSUSCHEM 5: (2)266-269 (2012)
IF: 7.475
- 22.Ötvös Sándor, Mándity István, Fülöp Ferenc
Organokatalízis folyamatos áramú reaktorban
MAGY KEM LAP 67: (5)143-146 (2012)
- 23.Miklós F, Mándity IM, Sillanpää R, Fülöp F
Stereocontrolled synthesis of five diastereomers of trimethyl 3-aminocyclopentane-1,2,4-
tricarboxylates
TETRAHEDRON LETT 54: (29)3769-3772 (2013)
IF: 2.397
- 24.Ötvös SB, Mándity IM, Kiss L, Fülöp F
Alkyne-Azide Cycloadditions with Copper Powder in a High-Pressure Continuous-Flow
Reactor: High-Temperature Conditions vs. the Role of Additives
CHEM-ASIAN J 8: (4)800-808 (2013)
IF: 4.572
- 25.Ötvös SB, Georgiádes A, Mándity IM, Kiss L, Fülöp F
Efficient continuous-flow synthesis of novel 1,2,3-triazole-substituted β -
aminocyclohexanecarboxylic acid derivatives with gramm-scale production
BEILSTEIN J ORG CHEM 9: 1508-1516 (2013)
IF: 2.801
- 26.Szolnoki E, Hetényi A, Mándity IM, Fülöp F, Martinek TA
Foldameric β -H18/20P mixed helix stabilized by head-to-tail contacts: A way to higher-order
structures
EUR J ORG CHEM : (17)3555-3559 (2013)
IF: 3.344

27. Ötvös SB, Hatoss G, Georgiádes A, Kovács S, Mándity IM, Novák Z, Fülöp F
Continuous-flow azide–alkyne cycloadditions with an effective bimetallic catalyst and a simple scavenger system
RSC ADVANCES (4) 46666-46674. (2014)
IF: 3.708
28. Mándity IM, Monsignori A, Fülöp L, Forró E, Fülöp F
Exploiting aromatic interactions for β -peptide foldamer helix stabilization: A significant design element
CHEMISTRY-A EUROPEAN JOURNAL (20) 4591-4597. (2014)
IF: 5.696
29. Mándity IM, Olasz B, Ötvös SB, Fülöp F
Continuous-flow solid-phase peptide synthesis: a revolutionary reduction of the amino acid excess
CHEMSUSCHEM DOI: 7:(11) pp. 3172-3176. (2014)
IF: 7.117
30. Mándity IM, Ötvös SB, Fülöp F
Strategic application of residence time control in continuous flow reactors
CHEMISTRYOPEN 4:(3) pp. 212-223. (2015)
IF: 2.938
31. Hsieh CT, Ötvös SB, Wu YC, Mándity IM, Chang FR, Fülöp F
Highly Selective Continuous-Flow Synthesis of Potentially Bioactive Deuterated Chalcone Derivatives
CHEMPLUSCHEM 80:(5) pp. 859-864. (2015)
IF: 3.242
32. Mándity IM,* Fülöp F
An overview of peptide and peptoid foldamers in medicinal chemistry
EXPERT OPINION ON DRUG DISCOVERY 10:(11) pp. 1163-1177. (2015)
IF: 3.539
33. Ötvös SB, Szloszár A, Mándity IM, Fülöp F
Heterogeneous Di peptide-Catalyzed α -Amination of Aldehydes in a Continuous-Flow Reactor: Effect of Residence Time on Enantioselectivity
ADVANCED SYNTHESIS AND CATALYSIS DOI: (16-17) pp. 3671-3680. (2015)
IF: 5.663
34. Hegedűs Z, Makra I, Imre N, Hetényi A, Mándity IM, Monostori É, Martinek TA
Foldameric probes for membrane interactions by induced β -sheet folding
CHEMICAL COMMUNICATIONS 52: p. 1819. (2016)
IF: 6.834
35. Mándity IM, Ötvös SB, Szöllősi G, Fülöp F
Harnessing the versatility of continuous-flow processes: selective and efficient reactions
THE CHEMICAL RECORD 16:(3) pp. 1018-1033. (2016)
IF: 3.855

36. Fekete B, Palkó M, Mándity I, Haukka M, Fülöp F
A Domino Ring-Closure Followed by Retro-Diels-Alder Reaction for the Preparation of Pyrimido[2,1-*a*]isoindole Enantiomers
EUROPEAN JOURNAL OF ORGANIC CHEMISTRY (21) pp. 3519-3527. (2016)
IF: 3.068
37. Laitaoja M, Isoniemi S, Valjakka J, Mándity IM, Jänis J
Deciphering metal ion preference and primary coordination sphere robustness of a designed zinc finger with high-resolution mass spectrometry
PROTEIN SCIENCE 26:(2) pp. 198-207. (2017)
IF: 3.039
38. Samavati R, Zador F, Szűcs E, Tuka B, Martos D, Veres G, Gáspár R, Mándity MI, Fülöp F, Vécsei L, Benyhe S, Borsodi A
Kynurenic acid and its analogue can alter the opioid receptor G-protein signaling after acute treatment via NMDA receptor in rat cortex and striatum
JOURNAL OF THE NEUROLOGICAL SCIENCES 376: pp. 63-70. (2017)
IF: 2.295
39. Kiss L, Mándity IM, Fülöp F
Highly functionalized cyclic beta-amino acid moieties as promising scaffolds in peptide research and drug design.
AMINO ACIDS 49:(9) pp. 1441-1455. (2017)
IF: 3.173
40. Mándity IM, Nekkaa I, Paragi G, Fülöp F
Homochirality of beta-Peptides: A Significant Biomimetic Property of Unnatural Systems
CHEMISTRYOPEN 6:(4) pp. 492-496. (2017)
IF: 2.918
41. Szloszár A, Fülöp F, Mándity IM*
Accelerated Synthesis of Protected Peptides in a Continuous-Flow Fixed-Bed Reactor
CHEMISTRYSELECT 2:(21) pp. 6036-6039. (2017)
IF: -
42. Veres G, Fejes-Szabó A, Zádori D, Nagy-Grócz G, László AM, Bajtai A, Mándity I, Szentirmai M, Bohár Z, Laborc K, Szatmári I, Fülöp F, Vécsei L, Párdutz Á
A comparative assessment of two kynurenic acid analogs in the formalin model of trigeminal activation: a behavioral, immunohistochemical and pharmacokinetic study
JOURNAL OF NEURAL TRANSMISSION 124: pp. 99-112. (2017)
IF: 2.392
43. Nekkaa I, Palkó M, Mándity IM, Fülöp F
Continuous-flow retro-Diels-Alder reaction: an efficient method for the preparation of pyrimidinone derivatives
BEILSTEIN JOURNAL OF ORGANIC CHEMISTRY 14: pp. 318-324. (2018)
IF: 2.330

44. Szloszár A, Mándity IM, Fülöp F
Sustainable synthesis of N-methylated peptides in a continuous-flow fixed bed reactor
JOURNAL OF FLOW CHEMISTRY 8:(1) pp. 21-27. (2018)
IF: 1.658
45. Nekkaa I, Palkó M, Mándity IM, Miklós F, Fülöp F
Continuous Flow retro-Diels-Alder Reaction: A Novel Process Window for Designing New Heterocyclic Scaffolds
EUROPEAN JOURNAL OF ORGANIC CHEMISTRY DOI: 10.1002/ejoc.201800682
IF: 2.882

Magyar nyelvű közlemény

1. Mándity István
Nagy hatékonyságú kémiai átalakítások folyamatos áramban: védőcsoport-eltávolítás, deuterálás és organokatalízis
MAGYAR KÉMIKUSOK LAPJA 67:(11) pp. 336-337. (2012)

Könyvek és könyvfejezetek listája

1. Mándity IM
Design of β -peptide foldamers by stereochemistry and topology
Saarbrücken: LAP Lambert Academic Publishing, 2014.
ISBN: 978-3-659-58996-6
2. Nieuwland P, Koch K, Becker R, Ötvös SB, Mándity IM, Fülöp F
Experimental procedures for conducting organic reactions in continuous flow
In: Darvas F, Hessel V, Dorman G (Editors.)
Flow Chemistry. Berlin: De Gruyter, 2014. pp. 157-190.
1., Fundamentals
(ISBN:978-3-11-028915-2)

Szabadalmak listája

1. F Fülöp, I M Mándity
Deuterated Morphine Derivatives
WO 2014/170704 A1
2014
2. F Fülöp, I M Mándity
Continuous Flow Peptide Synthesis
HU2015/000022
2015