- 1. What does sterilisation mean?
 - a. Killing procedure of any kind of germs.
- 2. What does disinfection mean?
 - a. Procedure where the number of the germs are reduced to a safety level.
- 3. Which parameters can influence the effectivity of the sterilisation?
 - a. The number of the germs, the resistance of the germs, the concentration of the disinfectants, the presence of the organic materials, the initial time, the presence of the biofilm.
- 4. Parameters of the hot-air sterilisation cupboard protocol?
 - a. 180°C; 1 hour, 160°C; 2 hours, 140°C; 3 hours.
- 5. Parameters of the autoclaving?
 - a. + 1 atm overpressure, 121°C, 20-30 minutes or 134°C, +2 atm overpressure 10 minutes.
- 6. Biological method used for checking the effectivity of the sterilisation.
 - a. By *Bacillus/Geobacillus stearothermophilus* spores. If the procedure was performed in correct way, the spores cannot be cultivated.
- 7. Detection of the presence of pyrogenic material in drugs?
 - a. LAL test; The blood of the horseshoe crab will coagulate in the presence of the LPS
- 8. What are the disinfectants?
 - a. Chemical agents used on inanimate/non-living surfaces.
- 9. What are the antiseptic agents?
 - a. Chemical agents used disinfection on animate (tissue, skin, mucous membrane) surfaces.
- 10. What does serological reaction mean?
 - a. Reaction based on the antigen-antibody reaction performed in vitro.
- 11. What does agglutination mean?
 - a. Serological reaction where the antigen is cell mediated.
- 12. What are the bacterial cell surface antigens?
 - a. O: cell wall, H: flagella, K: capsule
- 13. What does antibody titre mean?
 - a. The highest dilution fold or the lowest antibody concentration where we can see in vitro antigen-antibody reaction.
- 14. What does precipitation mean?
 - a. Serological reaction where the antigen is soluble (enzyme, toxin or virus particle).
- 15. What does iatrogenic infection mean?

- a. Infection caused by medical staff during the investigation or treatment.
- 16. What does no socomial infection mean?
 - a. Infection occurred in hospital after 48 hours of the hospitalisation.
- 17. What are the contents of the vaccines?
 - a. Live attenuated microbe; killed microbe, toxoid, antigens of the microbe.
- 18. What does native examination of the microbe mean in microbiology?
 - a. The microbe is examined without killing procedure.
- 19. What kind of information can we got by light microscopically examination? (3 example)
 - a. The size of the microbe, the shape of the microbe, the motility, the staining can be examined.
- 20. The solutions of the Gram-stain?
 - a. Sodium oxalate, cristal violet, lodine solution, 96% of ethanol, fuchsin or safranin.
- 21. What kind of devices can be used for anaerobic cultivation?
 - a. Anaerostate, Gas-pack jar, high agar, anaerobic chamber.
- 22. Definitions: bacteriostatic, bactericide
 - a. bacteriostatic: inhibits bacterial growth
 - b. bactericide: kills bacteria
- 23. Definition: selective toxicity
 - a. the antibiotic has an effect only on the bacteria, but not on the human host
- 24. Chemotherapeutic index?
 - a. dosis tolerata maxima (DTM)/dosis curativa minima (DCM)
- 25. Cell wall synthesis inhibitor antibiotics?
 - a. Penicillin, Cephalosporin, Carbapenem, Glycopeptide.
- 26. Glycopeptide antibiotics
 - a. vancomycin, teicoplanin
- 27. Membrane function alternating antibiotics are:
 - a. Polymyxines
- 28. What are the protein synthesis inhibitor antibiotics? (3 example)
 - a. Aminoglycosides, Tetracycline, Macrolide, Chloramphenicol, Linezolid
- 29. Nucleic acid synthesis inhibitors are: (2 example)
 - a. Quinolones, rifampicin, sulphonamide, trimethoprim.
- 30. Three possible ways of horizontal gene transfer
 - a. conjugation (plasmid)

- b. transduction (bacteriophage)
- c. transformation (uptake of naked DNA from the environment)
- 31. Antibiotic resistance mechanism are:
 - a. Enzymatic degradation or modification of the antibiotics, efflux pump, modifying of the antibiotic binding site
- 32. What does MRSA mean?
 - a. Methicillin-resistant Staphylococcus aureus
- 33. What does ESBL mean?
 - a. Extended spectrum of beta lactamase enzyme.
- 34. What does MIC mean?
 - a. Minimal bacteriostatic concentration of an antibiotic measured in ug/ml.
- 35. What does MBC mean?
 - a. Minimal bactericidal concentration of an antibiotic measured in ug/ml.
- 36. Which 3 vaccines contain capsular polysaccharide?
 - a. Hib (against *Haemophilus influenzae* type b)
 - b. Prevenar / Pneumovax (against 13 / 23 serotypes of *Streptococcus pneumoniae*)
 - c. meningococcus vaccines (against serotypes ACWY) but not B!
- 37. What kind of specimen can be sent to the microbiological diagnostic laboratory in the case of typical pneumonia?
 - a. Sputum and haemoculture
- 38. What kind of specimen can be sent to the microbiology diagnostic laboratory in the case of atypical pneumonia?
 - a. Blood, urine, broncho-alveolar lavage.
- 39. What kind of bacterial infection can be treated by antitoxin? (2 example)
 - a. Infections caused by bacterial exotoxins: tetanus, botulism, diphtheria
- 40. Which bacteria can be differentiated with the coagulase test?
 - a. *Staphylococcus aureus* (+) and the other staphylococcus species (-, so called "coagulase-negative staphylococci")
- 41. Microscopic morphology of Staphylococci
 - a. Gram-positive cocci, arranged in grape-like structures
- 42. Colony morphology of Staphylococcus aureus on blood agar plate
 - a. average size, round colonies with butter consistency, golden pigment production and beta-haemolysis
- 43. What are the non-toxic virulence factors of *Staphylococcus aureus*? (3 example)
 - a. Protein A, endocoagulase (clumping factor), exocoagulase, adhezins, teicoic acid, hialuronidase, protease, lipase, DN-ase.

- 44. What are the toxic virulence factors of Staphylococcus aureus?
 - a. Leucocidin, toxic shock syndrome toxin, exfoliative toxin, enterotoxin, haemolysin
- 45. Disease caused by Staphylococcus aureus?
 - a. Folliculitis, furuncle, carbuncle, impetigo, pneumonia, osteomyelitis, food poisoning.
- 46. Diseases caused by Staphylococcus aureus exotoxins? (2 example)
 - a. Food poisoning, scalded skin syndrome, toxic shock syndrome
- 47. List at least 2 coagulase-negative staphylococcus species (from the list provided below)!
 - a. S. epidermidis, S. saprophyticus, S. haemolyticus, S. lugdunensis
- 48. Diseases caused by coagulase negative staphylococci?
 - a. Nosocomial infections, biofilm production on the surface of plastic devices.
- 49. Colony morphology of Streptococcus pyogenes on blood agar plate
 - *a.* small, pin-point colonies, surrounded by large, strong beta-haemolytic zone
- 50. Which streptococci show alpha-haemolysis?
 - a. *Streptococcus pneumoniae* and viridans streptococci (e.g. *S. mutans*, *S. mitis*, *S. salivarius*)
- 51. Which species is the Lancefield group A streptococcus?
 - a. Streptococcus pyogenes
- 52. Which species is the Lancefield group B streptococcus?
 - a. Streptococcus agalactiae
- 53. What is the causative agent of scarlet fever?
 - a. Streptococcus pyogenes?
- 54. Which bacterial virulence factor is the causative agent of scarlet fever?
 - a. Streptococcus pyrogenic exotoxin or erythrogenic toxin
- 55. Disease cause by Streptococcus pyogenes? (3 examples)
 - a. Pharyngitis, tonsillitis, sinusitis, impetigo, erysipelas, necrotising fasciitis, scarlet fever, TSST
- 56. What kind of post streptococcal infections can be caused by Streptococcus pyogenes?
 - a. Acute rheumatic fever, glomerulonephritis
- 57. Which two streptococcus species show 100% penicillin sensitivity still now?
 - a. Streptococcus pyogenes and Streptococcus agalactiae
- 58. What kind of disease can be caused in new-borns by Streptococcus agalactiae?

- a. In new born meningitis, sepsis, pneumonia.
- 59. Which bacterium is the leading cause of neonatal meningitis?
 - a. Streptococcus agalactiae
- 60. Microscopic morphology of Streptococcus pneumoniae
 - a. Gram-positive diplococci
- 61. How can be prevented the invasive diseases caused by Streptococcus pneumoniae?
 - a. By 23 valent polysaccharide capsule vaccine or by 13 valent conjugated vaccine.
- 62. What kind of disease can be cause by viridans group streptococci?
 - a. Dental decay or endocarditis.
- 63. Microscopic morphology of Neisseria gonorrhoeae?
 - a. Gram-negative, non capsulated diplococci.
- 64. What kind of culture media can be used to cultivate Neisseria gonorrhoeae?
 - a. Chocolate agar or Thayer Martin agar.
- 65. Microscopic morphology of Neisseria meningitidis?
 - a. Gram-negative, capsulated, diplococci.
- 66. How can Neisseria meningitidis spread?
 - a. By respiratory droplets and will colonize the nasopharynx.
- 67. What kind of disease can be caused by Neisseria meningitidis?
 - a. Sepsis, meningitis, Waterhouse-Friderichsen syndrome.
- 68. What kind of diseases can be caused by Nesseria gonorrhoeae?
 - a. Gonorrhoea, blenorrhoea neonatorum, proctitis, orchitis.
- 69. What is the causative agent of Waterhouse-Friderichsen syndrome?
 - a. Neisseria meningitidis
- 70. What kind of tests can be performed from liquor in case of *Neisseria meningitidis* infection?
 - a. Microscopic examination, Gram-stain, latex agglutination.
- 71. What can cause Nesseria gonorrhoeae in newborns?
 - a. Ophthalmoblenorrhoea neonatorum
- 72. Which serotype of Haemophilus influenzae can cause invasive infection?
 - a. The Haemophilus influenzae with capsule "b" serotype.
- 73. How can be prevented the invasive infections caused by *Haemophilus influenzae* strains?
 - a. By Hib vaccine
- 74. What kind of disease can be caused by Haemophillus ducreyi?

- a. Ulcus molle (chancroid).
- 75. What is the causative agent of whooping cough?
 - a. Bordetella pertussis.
- 76. What is the causative agent of tularemia?
 - a. Francisella tularensis
- 77. What are the causative agents of human brucellosis? (2 examples)
 - a. Brucella abortus, B. melitensis, B. suis, B. canis
- 78. What are the diseases caused by Bacillus anthracis? (2 examples)
 - a. Cutaneous anthrax, pulmonary anthrax, gastrointestinal anthrax.
- 79. What kind of disease can be caused by Bacillus cereus?
 - a. Food poisoning (vomiting, diarrhoea), wound infection.
- 80. What is the causative agent of pseudomembranosus colitist?
 - a. Clostridium difficile
- 81. What kind of bacteria can cause flaccid paralysis?
 - a. Clostridium botulinum
- 82. What kind of bacteria can caused spastic paralysis?
 - a. Clostridium tetani
- 83. What is the treatment of Botulism?
 - a. Giving polyvalent antitoxin.
- 84. What is the treatment of pseudomembranosus colitis?
 - a. Vancomycin per os, metronidazole, faecal transplantation.
- 85. What is the causative agent of diphtheria?
 - a. Corynebacterium diphtheriae.
- 86. How can be detected the toxin of Corynebacterium diphtheriae?
 - a. By Elek's-test, Römer-test (in guinea pig).
- 87. What is the treatment of diphtheria?
 - a. Passive immunisation, giving antibiotics, artificial ventilation if is necessary.
- 88. What are the diseases caused by Listeria monocytogenes?
 - a. Meningitis, sepsis, granulomatosis infantiseptica.
- 89. What are the diseases caused by Listeria monocytogenes in adults?
 - a. Gastrointestinal symptoms, meningitis, sepsis, endocarditis
- 90. What is the treatment of Listeriosis?
 - a. Ampicillin-gentamicin is the drug of choice.
- 91. Which bacteria can cause dental decay?

- a. Lactobacilli and Streptococcus mutans.
- 92. Which bacteria can cause human tuberculosis? (3 examples)
 - a. Mycobacterium tuberculosis, mycobacterium bovis, Mycobacterium africanum.
- 93. What kind of staining can be used to stain mycobacteria?
 - a. Ziehl-Neelsen staining.
- 94. How long can be cultivated the causative agent of human tuberculosis on Lowenstein-Jensen culture media?
 - a. 6-8 weeks.
- 95. How can be prevented the human tuberculosis?
 - a. By BCG vaccine.
- 96. What are the facultative pathogenic mycobacteria? (2 examples)
 - a. Mycobacterium avium komplex, Mycobacterium kansasii, Mycobacterium marinum, Mycobacterium ulcerans.
- 97. Which mycobacteria is apathogenic?
 - a. Mycobacterium smegmatis.
- 98. What is the causative agent of leprosy?
 - a. Mycobacterium leprae.
- 99. What are the types of leprosy?
 - a. Tuberculoid and lepromatosus leprosy.
- 100. What is the treatment of leprosy?
 - a. Dapson, clofazamin, rifampicin.
- 101. What are the most important Actinomyces species? (1 example)
 - a. Actinomyces israelii, Actinomyces naeslundii, Actinomyces odontolyticus.
- 102. Which E. coli can be toxin producer? (3 examples)
 - a. ETEC, EPEC, EAEC, EIEC, EHEC
- 103. What kind of extra intestinal disease can be caused by Escherichia coli?
 - a. Urinary tract infections, neonatal meningitis, sepsis.
- 104. What are the causative agent of typhoid fever? (4 examples)
 - a. Salmonella Typhi and Salmonella Paratyphi A, B, C.
- 105. Which bacteria can cause salmonellosis?
 - a. Salmonella Enteritidis, Salmonella Typhimurium, Salmonella Choleraesuis
- 106. What is the causative agent of dysentery? (2 examples)
 - a. Shigella dysenteriae, Shigella flexneri, Shigella sonnei.

- 107. Which bacterium is the causative agent of plague?
 - a. Yersinia pestis.
- 108. What is the spreading way of the plague?
 - a. By the bite of the rat flea, by respiratory droplets.
- 109. What are the diseases caused by Klebsiella pneumoniae?
 - a. Lobar (Friedländer) pneumonia, wound infection, bloodstream infection, urinary tract infection.
- 110. What is the causative agent of cholera?
 - a. Vibrio cholerae
- 111. What are the characteristic biochemical properties of Pseudomonas aeruginosa?
 - a. Obligate aerobic, oxidase positive.
- 112. Colony morphology of Pseudomonas aeruginosa?
 - a. Bacteria can produce water-soluble pigment that stain the culture media, the colonies have grape like smells.
- 113. Microscopic morphology of Pseudomonas aeruginosa?
 - a. Gram-negative rod.
- 114. What are the most frequent diseases caused by Pseudomas aeruginosa?
 - a. Nosocomial lung infections, wound and blood stream infections.
- 115. What is the treatment of the diseases cause by Pseudomonas aeruginosa?
 - a. Multiresistant, based on antibiogram.
- 116. How can Legionella pneumophila spread?
 - a. By aerosol.
- 117. What is the diagnosis of Legionellosis?
 - a. By serology from blood, by immune chromatography from urine.
- 118. Which bacterium can cause chronic gastritis or stomach ulcer?
 - a. Helicobacter pylori.
- 119. What is the most important cultivable anaerobic member of the normal flora of the large bowel?
 - a. Bacteroides fragilis.
- 120. Which genera belongs to the Spirochaetales order?
 - a. Treponema, Borrelia, Leptospira.
- 121. What are the causative agents of Plaut-vincent angina?
 - a. Treponema vincentii and Fusobacteria.
- 122. What is the causative agent of syphilis?

- a. Treponema pallidum subspecies pallidum
- 123. How can syphilis spread?
 - a. By sexual contact, transplacental, by blood transfusion and by organ transplantation.
- 124. What is the first symptom in syphilis?
 - a. Ulcus durum painless hard ulcer, enlarged lymph nodes.
- 125. In which stage of the syphilis can appear rush all over the body?a. 2nd stage.
- 126. When can develop neurosyphilis during the infection?
 - a. In all stages of the diseases can develop neuroyphilis.
- 127. What kind of diseases can be caused by Borrelia?
 - a. Lyme diseases and relapsing fever
- 128. How can the Lyme disease spread?
 - a. By the bite of thick.
- 129. What are the causative agents of Lyme disease? (2 examples)
 - a. Borrelia burgdorferi, Borrelia afzelli, Borrelia garini
- 130. What is the causative of epidemic relapsing fever?
 - a. Borellia recurrentis.
- 131. What is the vector of Lyme diseases?
 - a. Tick
- 132. What is the vector of *Borrelia recurrentis*?
 - a. Body louse
- 133. What is the molecular background of relapsing fever?
 - a. Bacterial antigen changing.
- 134. What is the first symptom of Lyme diseases?
 - a. Erythema chronicum migrans
- 135. What is the causative agent of Weil's diseases?
 - a. Leptospira icterohaemorrhagiae.
- 136. What are the characteristic properties of the meningitis caused by Leptospira?
 - a. Serosus, non-purulent.
- 137. What is the source of the infection caused by Leptospira?
 - a. Zoonotic diseases, can spread by the urine of animals.
- 138. How can the Lyme diseases diagnosed?
 - a. By serology, ELISA screening test and fro confirmation immunoblot is used.

- 139. Which bacteria cannot have cell wall?
 - a. Mycoplasma, Ureaplasma.
- 140. Which bacteria can cause atypical pneumoniae?
 - a. Mycoplasma pneumoniae, Chlamydophila pneumoniae, Legionella pneumophila.
- 141. What is the causative agent of typhus exanthematicus?
 - a. Rickettsia prowaczekii
- 142. What is the causative agent of parrot fever?
 - a. Chlamydophila psittaci.
- 143. What is the causative agent of trachoma?
 - a. Chlamydia trachomatis, serotype A-C.
- 144. What kind of disease can be caused by Chlamydia trachomatis serotype L1-L3?
 - a. Lymphogranuloma venereum.
- 145. What is the effect of the cholera toxin?
 - a. Increasing of the cAMP, enhancing the ion secretion
- 146. What are the causative agents of impetigo contagiosa?
 - a. S.aureus, S.pyogenes
- 147. What is the causative agent of erysipelas?
 - a. Streptococcus pyogenes
- 148. What is the causative agent of Trachoma?
 - a. Chlamydia trachomatis A,B,C
- 149. What is the causative agent of Ophtalmoblenorrhoea neonatorum?
 - a. Neisseria gonorrhoeae
- 150. List 4 capsulated bacteria from the list below!
 - a. Streptococcus pneumoniae, Streptococcus agalactiae, Streptococcus pyogenes, Escherichia coli, Haemophilus influenzae, Neisseria meningitidis, Listeria monocytogenes