



SEMMELWEIS EGYETEM

Orvosi Mikrobiológiai Intézet

egyetemi tanár, igazgató
DR. SZABÓ DÓRA

A 2019. évi tudományos közlemények listája

Hendriksen RA et al. (Kocsis B collaborator)

Global monitoring of antimicrobial resistance based on metagenomics analyses of urban sewage

Nat Commun, 10 (1), 1124 2019.

doi: 10.1038/s41467-019-10885-3.

IF: 11.878

Nagy A, Mezei E, Nagy O, Bakonyi T, Csonka N, Kaposi M, Koroknai A, Szomor K, Rigó Z, Molnár Zs, Dánielisz Á, Takács M

Extraordinary increase in West Nile virus cases and first confirmed human Usutu virus infection in Hungary, 2018

Eurosurveillance 24:28 2019.

doi: 10.2807/1560-7917.ES.2019.24.28.1900038.

IF: 7.4

Lázár B, Brenner GB, Makkos A, Balogh M, László SB, Al-Khrasani M, Hutka B, Bató E, Ostorházi E, Juhász J, Kemény Á, László T, Tiszlavicz L, Bihari Z, Gericz Z, Szabó D, Helyes Z, Ferdinand P, Gyires K, Zádori ZS

Lack of Small Intestinal Dysbiosis Following Long-Term Selective Inhibition of Cyclooxygenase-2 by Rofecoxib in the Rat.

Cells. 8(3). pii: E251. 2019.

doi: 10.3390/cells8030251.

IF: 5.656

Ongrádi J, Charlynne L. G, Tarcsai K. R, Stercz B, Lakatos B, Pring-Akerblom P, Nagy K, Ablashi D. V.

Adenovirus isolated from a cat is related to human adenovirus 1.

Front Microbiol. 10: 1430. 2019.

doi: 10.3389/fmicb.2019.01430

IF: 4.259

Domokos J, Toth A, Damjanova I, Kristof K, Ligeti B, Kocsis B, Szabo D.

Multiple benefits of plasmid-mediated quinolone resistance determinants in *Klebsiella pneumoniae* ST11 high-risk clone and recently emerging ST307 clone

Front Microbiol, 10, 157 2019.

doi: 10.3389/fmicb.2019.00157

IF: 4.076

Cím: 1085 Budapest, Üllői út 26.

Postacím: 1085 Budapest, Üllői út 26.; 1428 Budapest, Pf. 2.

E-mail: titkarsag.mikro@semmelweis-univ.hu

Tel.: (+36-1) 459-1500

semmelweis.hu



Kovács E, Sahin-Tóth J, Tóthpál A, Kristóf K, van der Linden M, Tirczka T, Dobay O. Vaccine-driven serotype-rearrangement is seen with latency in clinical isolates: Comparison of carried and clinical pneumococcal isolates from the same time period in Hungary. *Vaccine* 37(1):99-108. 2019.
doi: 10.1016/j.vaccine.2018.11.026.

IF: 3.269

Dobay O
The complexity of serotype replacement of pneumococci.
Hum Vaccin Immunother 15(11):2725-2728. 2019.
doi: 10.1080/21645515.2019.1621068

IF: 2.592

Szabo BG, Kiss R, Lenart KS, Marosi B, Vad E, Lakatos B, Ostorhazi E
Clinical and microbiological characteristics and outcomes of community-acquired sepsis among adults: a single center, 1-year retrospective observational cohort study from Hungary.
BMC Infect Dis. 19(1):584. 2019.
doi: 10.1186/s12879-019-4219-5.

IF: 2.565

Kardos Sz, Tóthpál A, Laub K, Kristóf K, Ostorházi E, Rozgonyi F, Dobay O.
High prevalence of group B streptococcus ST17 hypervirulent clone among non-pregnant patients from a Hungarian venereology clinic.
BMC Infect Dis. 28;19(1):1009. 2019.
doi: 10.1186/s12879-019-4626-7

IF: 2.565

Tóthpál A, Desobry K, Joshi SS, Wyllie AL, Weinberger DM
Variation of Growth Characteristics of Pneumococcus With Environmental Conditions
BMC Microbiol. 19 (1), 304 2019.
doi: 10.1186/s12866-019-1671-8

IF: 2.56

Áy É, Müller V, Mezei M, Pocsay Á, Koroknai A, Müller D, Győri Z, Marschalkó M, Tóth B, Kárpáti S, Lakatos B, Szlávík J, Takács M, Minárovits J.
Transmitted Drug Resistance in Newly Diagnosed, Treatment-Naïve, HIV Type 1-Infected Patients in Hungary.
J Glob Antimicrob Resist. 20:124-130. 2019.
doi: 10.1016/j.jgar.2019.07.014

IF: 2.469

Szűcs Z, Ostorházi E, Kicsák M, Nagy L, Borbás A, Herczegh P.
New semisynthetic teicoplanin derivatives have comparable in vitro activity to that of oritavancin against clinical isolates of VRE.
J Antibiot (Tokyo), 72 (7), 524-534 2019.

IF: 2.446

Kocsis B, Szmolka A, Szabo O, Gulyas D, Kristof K, Göcző I, Szabo D.
Ciprofloxacin promoted *qnrD* expression and phylogenetic analysis of *qnrD* harboring plasmids
Microb Drug Resist 25 (4), 501-508 2019.
doi: 10.1089/mdr.2018.0245
IF: 2.397

Nagy A, Szöllősi T, Takács M, Magyar N, Barabás É
West Nile Virus Seroprevalence Among Blood Donors in Hungary
Vector Borne Zoonotic Dis, 19 (11), 844-850 2019.
doi: 10.1089/vbz.2018.2401
IF: 1.939

Kocsis B, Toth A, Gulyas D, Ligeti B, Katona K, Rokusz L, Szabo D.
Acquired *qnrVc1* and *bla_{NDM-1}* resistance markers in an international high-risk *Pseudomonas aeruginosa* ST773 clone
J Med Microbiol, 68 (3), 336-338 2019.
doi 10.1099/jmm.0.000927
IF: 1.926

Nagy O, Nagy A, Tóth S, Pályi B, Vargáné Koroknai A, Takács M
Imported Zika virus infections in Hungary between 2016 and 2018.
Acta Microbiol Immunol Hung. 66(4):423-442. 2019.
doi: 10.1556/030.66.2019.025.

IF: 1.107

Gulyas D, Kocsis B, Szabo D
Plasmid copy number and qnr gene expression in selection of fluoroquinolone-resistant *Escherichia coli*
Acta Microbiol Immunol Hung, 66 (2), 169-178 2019.
doi: 10.1556/030.65.2018.049
IF: 1.079

Szabó BG, Kiss R, Lénárt KS, Radka N, Kádár B
„Tempus fugit, venit mors” – a streptococcalis toxikus sokk szindrómáról egy eset kapcsán
["Tempus fugit, venit mors" - about streptococcal toxic shock syndrome: a case report and mini-review]
Orv Hetil, 160 (48), 1887-1893 2019.
doi: 10.1556/650.2019.31597.
IF: 0.564

Kádár B
A C-reaktív protein klinikai jelentősége
Orvostovábbképző Szemle XXVI.: 3. pp. 62-66. 2019.